

Document Identifier task started on Wed Feb 21, 2007 at 1:33 PM

Explored by Document Identifier in CAPLUS.

CAPLUS Answers

1 for JP39-25050

**Copyrights:**

CAPLUS: Copyright © 2007 American Chemical Society. All Rights Reserved. (The UK patent material in this product/service is UK Crown copyright and is made available with permission. © Crown Copyright. The French (FR) patent material in this product/service is made available from Institut National de la Propriete Industrielle (INPI).)

REGISTRY: Copyright © 2007 American Chemical Society. All Rights Reserved. (Some records contain information from GenBank(R). See also: Benson D.A., Karsch-Mizrachi I., Lipman D.J., Ostell J., Rapp B.A., Wheeler D.L. Genbank. Nucl. Acids Res. 28(1):15-18 (2000). Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.)

CASREACT: Copyright © 2007 American Chemical Society. All Rights Reserved. (In addition to reactions indexed by CAS, CASREACT contains reactions derived from the following sources: ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.)

CHEMLIST, CHEMCATS: Copyright © 2007 American Chemical Society. All Rights Reserved.

**Bibliographic Information**

**2-Aminoquinazoline derivatives.** Ikiguma, Shin; Kawamura, Masaaki; Tachikawa, Ryuji; Miyadera, Tetsuo; Baba, Yoshihiko. (Sankyo Co., Ltd.). (1964), 3 pp. JP 39025050 19641107 Showa. Patent language unavailable. Application: JP 19620510. Priority: JP 19620510. CAN 62:66590 AN 1965:66590 CAPLUS (Copyright (C) 2007 ACS on SciFinder (R))

**Patent Family Information**

<u>Patent No.</u>	<u>Kind</u>	<u>Date</u>	<u>Application No.</u>	<u>Date</u>
JP 39025050	B	19641107	JP	19620510

Priority Application

JP	19620510
----	----------

**Abstract**

Na<sub>2</sub>S<sub>2</sub> soln. (prepd. from 10 g. Na<sub>2</sub>S, 2.5 g. S, and 15 cc. H<sub>2</sub>O) was dropped into 100 cc. boiling ethanolic soln. of 6.8 g. 2-methoxy-6-nitrobenzaldehyde, the whole refluxed 2 hrs. and cooled, 200 cc. H<sub>2</sub>O added, and the mixt. extd. with Et<sub>2</sub>O to give 3.5 g. 2-methoxy-6-aminobenzaldehyde (I), red oil. A mixt. of 3.5 g. I, 5.6 g. guanidine nitrate, and 2.1 g. Na<sub>2</sub>CO<sub>3</sub> was refluxed in 100 cc. Decalin 30 min. to give 1.3 g. 2-amino-5-methoxyquinazoline, m. 240°, sublimed .apprx. 160-80°/0.03 mm. Hg. Similarly prepd. were 2-amino-6-methoxyquinazoline, m. 190-2° (MeOH); 2-amino-8-methoxyquinazoline, m. 150-2° (MeOH); 2-amino-7-methoxyquinazoline, m. 218-20°; 2-amino-5-methyl-8-methoxyquinazoline, m. 235-7° (MeOH); 2-amino-6-methyl-8-methoxyquinazoline, m. 178° (MeOH-C<sub>6</sub>H<sub>6</sub>); 2-amino-7-methyl-8-methoxyquinazoline, m. 263° (CHCl<sub>3</sub>); and 2-amino-6-hydroxymethyl-8-methoxyquinazoline, m. 223-4° (MeOH). The products are blood pressure depressant, ganglionic blocking agent, or reserpine-like drug.

**Indexing -- Section 38 (Heterocyclic Compounds (More Than One Hetero Atom))**

Blood pressure

Blood pressure

(-lowering substances, 2-aminoquinazoline derivs. as)

Bactericides, Disinfectants and Antiseptics

(2-amino-5,6,7,8-tetrahydroquinazoline derivs. as)

Bactericides, Disinfectants and Antiseptics

(2-aminoquinazoline derivs. as)

Nerve centers

(blocking agents for, 2-aminoquinazoline derivs. as)

Allergy

(inhibitors of, 2-amino-5,6,7,8-tetrahydroquinazoline derivs. as)

Allergy

(inhibitors of, 2-aminoquinazoline derivs. as)

50-55-5, Reserpine

(compds. related to, 2-aminoquinazoline derivs. as)

1687-51-0, Quinazoline, 2-amino-

(derivs.)

704-29-0P, m-Anisaldehyde, 2-amino-5-methyl-

704-62-1P, Quinazoline, 2-amino-5,6,7,8-tetrahydro-6-methyl-

704-76-7P, Cyclohexanone, 2-(ethoxymethylene)-4-methyl-

708-15-6P, Quinazoline, 2-amino-8-methoxy-

708-16-7P, Quinazoline, 2-amino-5-methoxy-

709-02-4P, Quinazoline, 2-amino-7-methoxy-

709-06-8P, Quinazoline, 2-amino-6-methoxy-

711-74-0P, Quinazoline, 2-amino-8-methoxy-7-methyl-

711-81-9P, Quinazoline, 2-amino-8-methoxy-6-methyl-

716-05-2P, 6-Quinazolinemethanol, 2-amino-8-methoxy-

3317-91-7P, Quinazoline, 2-amino-8-methoxy-5-methyl-

Role: PREP (Preparation)

(prepn. of)